

Declared U/s 3 of UGC ACT 1956 vide Notification no.F.9-15/2001-U.3 of the Ministry of Human Resource Development, Govt. of India

Karad, Dist.: Satara (Maharashtra State) Pin: 415539 Tel: 02164-241555-8 (Extn. 240) Fax: 02164-241070

Website: www.kvv.edu.in | E-mail: centralstore@kvv.edu.in

TENDER NOTICE

Date: 16.09.2023

Tenders/Quotations for the Purchase of HL-7 Compatible Medical Equipment's /Instruments/Furniture.

Tenders/Quotations are invited on Plain paper for the purchase of HL-7 compatible Medical Equipment's /Instruments/Furniture to the Krishna Vishwa Vidyapeeth (Deemed to be University), Karad.

S.	NAME OF EQUIPMENT	QTY.	COMPANY
N.			
1	VENTILATOR	10	DRAGER
			GETINGE
			AIR LIQUID
			MINDRAY
			SCHILLER GRAPHNET ADVANCE
2	OT ANESTHESIA MACHINE	02	
3	MONITOR	40	NIHON KODEN
			WIPRO GE
			PHILIPS
			SKANRAY
			MINDRAY
			SCHILLER
			GETINGE
4	FIBER OPTIC LARYNGOSCOPE	01	ADULT & PEDIRTRIC
5	OPHTHALMOSCOPE	03	
6	STERILIZATION FOR CSSD	01	Chamber size 500 mm dia. x 1200mm depth
			Chamber Volume – 235 Litres approx. Horizontal Cylindrical Hinged Single Door Steam Sterilizer.
			The sterilizer will be manufactured as per "IS:3829 (Part II) – 1978 with ISI
			Mark.
			The unit will be designed for operating
			pressure 3 0 psi. and corresponding to
			a temperature of
			134 o C.



Declared U/s 3 of UGC ACT 1956 vide Notification no.F.9-15/2001-U.3 of the Ministry of Human Resource Development, Govt. of India

Karad, Dist.: Satara (Maharashtra State) Pin: 415539 Tel: 02164-241555-8 (Extn. 240) Fax: 02164-241070

7	FUMIGATION/FOGGER MACHINE	03	
8	TRANSDUCER WITH PRESSURE BAG	25	
9	ETCO2 MODULE	03	NIHON KOHDEN WIPRO GE PHILIPS SKANRAY
10	DEFIBRILLATOR WITH PACING	02	NIHON KOHDEN
			PHILIPS
			MINDRAY
11	SYRINGE PUMP	50	FRESENIUS KABI
12	V DAY VIEW DOV	05	MINDRAY
12	X RAY VIEW BOX	US	
13	NEBULIZER	05	
14	TENS MACHINE	05	
15	TILT TABLE	05	
16	PHYSIOTHERAPY CHAIR	02	
17	CHEST PHYSIO VIBRATOR	03	
18	PORTABLE SUCTION MACHINE	03	
19	LARYNGOSCOPE SET	05	
20	BAIN's CIRCUIT	05	
21	ECG MACHINE	02	BPL MAKE
			NIHON KOHDEN
			WIPRO GE
			MINDRAY
			PHILIPS
			GETINGE
22	BED WARMER	10	
23	AMBU BAG	05	
24	MCCOY BLADE LARYNGOSCOPE	02	
25	PORTABLE USG MACHINE	01	
26	PORTABLE USG MACHINE WITH TRANSCRANIAL DOPPLER PROBE	01	



Declared U/s 3 of UGC ACT 1956 vide Notification no.F.9-15/2001-U.3 of the Ministry of Human Resource Development, Govt. of India

Karad, Dist.: Satara (Maharashtra State) Pin: 415539 Tel: 02164-241555-8 (Extn. 240) Fax: 02164-241070

27	FLUID WARMER	04	
28	ELECTRICAL STIMULATOR	02	
	PORTABLE EEG	01	CLARITY
			NIHON KOHDEN
29			RMS
			INNO TECH MEDICAL
30	ICP MODULE	10	
31	PORTABLE VENTILATOR	01	
	MRI COMPATABLE		
32	PORTABLE MONITOR	02	
33	PORTABLE PULSE OXYMETER	05	
34	DVT PUMP	15	
35	BRONCHOSCOPE FLEXIBLE	01	
	WITH PEDIATRIC SCOPE		
36	VIDEO LARYNGOSCOPE	01	
37	PERIPHERAL NERVE	05	
	STIMULATOR		
38	3 D SPINE ENDOSCOPIC	02	
	SYSTEM		
39	VASCULAR DOPPLER	02	
	SYSTEM		
	C ARM	01	SKANRAY
			KIRAN MEDICAL
40			ALLENGERS
			PHILIPS
41	MISS INSTRUMENT SET		PHILIPS
42	ELECTRONIC MEDICAL		
72	RECORD SYSTEM		
43	ELECTRONIC BRONCHOSCOPE	01	
44	PERIPHERAL NERVE	02	
	STIMULATOR		
45	PORTABLE ENDOSCOPE	03	
46	10 HP Screw Air Compressor	01	Screw Air Compressor Model –
	_		Suitable for 10 HP FAD – 33 to 35
			CFM for 10 Kg FAD – 40 CFM for 8 Kg
47	30 HP Air Compressor.	01	Screw Air Compressor Model –
	_		Suitable for 30 HP FAD – 107 CFM for
			10 Kg . With built in VFD. Direct drive,
			air cooled type base frame mount
48	10 HP Vacuum Compressor	01	Vacuum reciprocating Model



Declared U/s 3 of UGC ACT 1956 vide Notification no.F.9-15/2001-U.3 of the Ministry of Human Resource Development, Govt. of India

Karad, Dist. : Satara (Maharashtra State) Pin : 415539 Tel : 02164-241555-8 (Extn. 240) Fax: 02164-241070

115VT/Base Plate Mounted suitable
for 10HP

S. NAME OF FURNITURE QTY. SPECIFICATION 1 SS IV STAND 100 STAINLESS STEEL SALINE STAINTUBULAR BASE) STRONG STAINTUBULAR CONSTRUCTION MOUNTH 5 SWIVEL, RUST PROOF STAINTH 5 SWIVEL SWIVELS	ND WITH 4 HOOKS NLESS STEEL JINTED ON 5- JLAR BASE. FITTED SYNTHETIC BODY AMTER WITHOUT OLE WITH 4 FROM D 2290MM(MAX)
1 SS IV STAND 100 STAINLESS STEEL SALINE STAINTUBULAR BASE) STRONG STAINTUBULAR CONSTRUCTION MOUNTH 5 SWIVEL, RUST PROOF STAINTH 5 STEEL IV PROOF STAINTH 5 STAINTH 5 STEEL IV PROOF STAINTH 5 STAINTH 5 STAINTH 5 STAINTH 5 SWIVEL, RUST PROOF STAINTH 5 SWIVEL STAINTH 5 SWIVE	NLESS STEEL JINTED ON 5- ULAR BASE. FITTED SYNTHETIC BODY AMTER WITHOUT OLE WITH 4 FROM D 2290MM(MAX)
(TUBULAR BASE) STRONG STAIL TUBULAR CONSTRUCTION MOUNT PRONGED RECTANGULAR TUBUL WITH 5 SWIVEL, RUST PROOF SCASTORS 50MM (2") WHEEL DUBREAK. STAINLESS STEEL IV PHOOKS. HEIGHT ADJUSTABLE APPROX 1395MM (MINIMUM) TO LOAD CAPACITY 20 KGS. 2 CRASH CART TROLLY 05 EMEGENCY DRUG CART WITH STANDARD CONSTRUCTION MOUNT TO LOAD CAPACITY 20 KGS.	NLESS STEEL JINTED ON 5- ULAR BASE. FITTED SYNTHETIC BODY AMTER WITHOUT OLE WITH 4 FROM D 2290MM(MAX)
(TUBULAR BASE) STRONG STAIL TUBULAR CONSTRUCTION MOU PRONGED RECTANGULAR TUBIL WITH 5 SWIVEL, RUST PROOF S CASTORS 50MM (2") WHEEL DL BREAK. STAINLESS STEEL IV PO HOOKS. HEIGHT ADJUSTABLE APPROX 1395MM (MINIMUM) TO LOAD CAPACITY 20 KGS. 2 CRASH CART TROLLY 05 EMEGENCY DRUG CART WITH SE	NLESS STEEL JINTED ON 5- ULAR BASE. FITTED SYNTHETIC BODY AMTER WITHOUT OLE WITH 4 FROM D 2290MM(MAX)
TUBULAR CONSTRUCTION MOUNT PRONGED RECTANGULAR TUBE WITH 5 SWIVEL, RUST PROOF SCASTORS 50MM (2") WHEEL DLUBREAK. STAINLESS STEEL IV POUNT HOOKS. HEIGHT ADJUSTABLE APPROX 1395MM (MINIMUM) TO LOAD CAPACITY 20 KGS. CRASH CART TROLLY DEMONSTRUCTION MOUNT PRONGED RECTANGULAR TUBE WITH 5 SWIVEL, RUST PROOF SCASTOR OF SWIVELE PROOF SWIP SWIP SWIP SWIP SWIP SWIP SWIP SWIP	UNTED ON 5- ULAR BASE. FITTED SYNTHETIC BODY AMTER WITHOUT OLE WITH 4 FROM D 2290MM(MAX)
PRONGED RECTANGULAR TUBE WITH 5 SWIVEL, RUST PROOF S CASTORS 50MM (2") WHEEL DL BREAK. STAINLESS STEEL IV PO HOOKS. HEIGHT ADJUSTABLE APPROX 1395MM (MINIMUM) TO LOAD CAPACITY 20 KGS. 2 CRASH CART TROLLY 05 EMEGENCY DRUG CART WITH S	ULAR BASE. FITTED SYNTHETIC BODY AMTER WITHOUT OLE WITH 4 FROM D 2290MM(MAX)
WITH 5 SWIVEL, RUST PROOF S CASTORS 50MM (2") WHEEL DL BREAK. STAINLESS STEEL IV PO HOOKS. HEIGHT ADJUSTABLE APPROX 1395MM (MINIMUM) TO LOAD CAPACITY 20 KGS. 2 CRASH CART TROLLY 05 EMEGENCY DRUG CART WITH S	SYNTHETIC BODY AMTER WITHOUT OLE WITH 4 FROM D 2290MM(MAX)
CASTORS 50MM (2") WHEEL DL BREAK. STAINLESS STEEL IV PO HOOKS. HEIGHT ADJUSTABLE APPROX 1395MM (MINIMUM) TO LOAD CAPACITY 20 KGS. CRASH CART TROLLY OS EMEGENCY DRUG CART WITH SE	AMTER WITHOUT OLE WITH 4 FROM D 2290MM(MAX)
BREAK. STAINLESS STEEL IV POUR HOOKS. HEIGHT ADJUSTABLE APPROX 1395MM (MINIMUM) TO LOAD CAPACITY 20 KGS. CRASH CART TROLLY O5 EMEGENCY DRUG CART WITH	OLE WITH 4 FROM D 2290MM(MAX)
HOOKS. HEIGHT ADJUSTABLE APPROX 1395MM (MINIMUM) TO LOAD CAPACITY 20 KGS. CRASH CART TROLLY 05 EMEGENCY DRUG CART WITH SECTION 1.1	FROM) 2290MM(MAX)
APPROX 1395MM (MINIMUM) TO LOAD CAPACITY 20 KGS. 2 CRASH CART TROLLY 05 EMEGENCY DRUG CART WITH) 2290MM(MAX)
LOAD CAPACITY 20 KGS. 2 CRASH CART TROLLY 05 EMEGENCY DRUG CART WITH	, ,
LOAD CAPACITY 20 KGS. 2 CRASH CART TROLLY 05 EMEGENCY DRUG CART WITH	, ,
2 CRASH CART TROLLY 05 EMEGENCY DRUG CART WITH	
	5 CENTRALISED
DUATBIN TO OPPOSITE SIDE BA	ASKET:
860MMX530MM (LxW).	
PLATFORM DIMENSSION (TOP F	POLYMER
MOULDED PANEL) (LxW): 550M	MX400MM (LxW)
HEIGHT (FLOOR TO TOP POLYM	IER MOULDED
PANEL): 980MM (H)	
SLIDING SLIDE TRAY (LxW): 355	6MMX320MM (LxW)
IV DOLE HEIGHT AND EVENING	ON (EDOM TOD
IV POLE HEIGHT AND EXTENSION PLATFORM): 225MM TI 760MM	•
PLATFORIVI) . 2251VIIVI 11 7001VIIVI	
3 DRESSING TROLLY 05 STAINLESS STEEL DRESSING T	ROLLEV WITH SS
BOWL & BUCKET. APPOXIMATE	
40"X20"X36" (LxWxH.)	DIVIDION
10 1120 1100 (1217/1111.)	
APPOX SHELF DIMENSSION 30'	x20" (LXW).
	, ,-
STAINLESS STEEL TUBULAR FF	RAME MOUNTED
ON FOUR 125MM DIAMETER CA	ASTOR WHEELS
WITH SYNTHETIC BODY, TWO V	VITH BREAK & TWO
WITHOUT BREAK.	



Declared U/s 3 of UGC ACT 1956 vide Notification no.F.9-15/2001-U.3 of the Ministry of Human Resource Development, Govt. of India

Karad, Dist. : Satara (Maharashtra State) Pin : 415539 Tel : 02164-241555-8 (Extn. 240) Fax: 02164-241070

			TWO STAINLESS STEEL SHELVES WITH PROTECTIVE RAINLING ON ALL FOUR SIDES.
			SEMI KNOCKED DOWN CONDITION (SKD).
4	CARDIAC TABLE TILTABLE GEAR TYPE	50	ADJUSTABLE BEDSIDE TABLE OVERALL DIMENSION: 910MMX406MM 33" x 16" (L x W)
			SINGLE SECTION NON-ADJUSTABLE POLYMER TOP.
			ALUMINIUM EXTRUDED TELESCOPIC SECTION FITTED WITH GAS SPRIMG FOR HEIGHT ADJUSTABLE FROM APPOXIMATELY 835MM TO 1150 MM, 32" TO 44"
			MILD STEEL RECTANGULAR BASE FRAME MOUNTED ON FOUR SWIVEL SYNTHETIC BODY CASTORS OF 50MM.
			PRE-TREATED AND POWDER COATED FINISH.
			SUPPLIED IN KDC.
5	PATIENT BEDS	150	AUTOMATED- GTY: 50 NOS BED WITH PP TOP WITH TWIN WHEEL CENTRAL LOCKING, EMBEDDED PANNEL, WEIGHING SCALE HANDSET, BED EXTENSION, IV POLE, TELESCOPIC MAIN 2 HOOKS, URINE BAG HOLDER (SINGLE), FOUR SECTION MATTRESS 4" THICK.
			MOTORIZED- QTY: 40 NOS
			FULLY MOTORIZED BED, REMOVABLE PP TOP 5" TWIN WHEEL, CASTORS WITH CENTRAL LOCKING, HAND SET & ACP, POLYMER MOULDED HEAD & FOOT PANELS, SPLIT TYPE FULL LENGTH, POLYMER MOULDED SAFETY SIDE RAILING (2 SETS), 4 SECTION MATTRESS 4" THICK, IV POLE TELESCOPIC MAIN 2 HOOKS, URINE BAG HOLDER (SINGLE)
			FOWLERS- QTY: 60 NOS
			COMFORT BED, MS TOP, 5" CASTORS WITH DIAGONAL LOCKING, MANNUALY ADJUSTABLE



Declared U/s 3 of UGC ACT 1956 vide Notification no.F.9-15/2001-U.3 of the Ministry of Human Resource Development, Govt. of India

Karad, Dist. : Satara (Maharashtra State) Pin : 415539 Tel : 02164-241555-8 (Extn. 240) Fax: 02164-241070

Website: www.kvv.edu.in | E-mail: centralstore@kvv.edu.in

BACK REST, KNEE REST, HEIGHT
TRENDELENBURG, REVERSE TRENDELENBURG,
SLIT TYPE FULL LENGH POLYMER MOULDED
SAFETY SIDE RAILING (2 SETS, POLYMER
MOLDED HEAD & FOOR PANELS (REMOVABLE), 4
SECTION MATTRESS 4" THICK, IV POLE
TELESCOPIC MAIN 2 HOOKS, REMOVABLE TYPE
CHROMIUM PLATED FORGED HANDLE, URINE
BAG HOLDER (SINGLE)

Details of required HL-7 Compatible Medical Equipment's /Instruments/Furniture can be obtained on our website www.kvv.edu.in.

Sealed Tenders/Quotations should reach to the office of The Registrar Krishna Vishwa Vidyapeeth (Deemed to be University), Karad by 05.00 pm on or before 27.09.2023.

1. Krishna Vishwa Vidyapeeth (Deemed to be University), Karad reserves rights to reject any or all tenders without assigning any reason.

SD/REGISTRAR KRISHNA VISHWA
VIDYAPEETH (Deemed to be
University), Karad. (Formerly

known as KIMSDU)



Declared U/s 3 of UGC ACT 1956 vide Notification no.F.9-15/2001-U.3 of the Ministry of Human Resource Development, Govt. of India

Karad, Dist.: Satara (Maharashtra State) Pin: 415539 Tel: 02164-241555-8 (Extn. 240) Fax: 02164-241070

Website: www.kvv.edu.in | E-mail: centralstore@kvv.edu.in

TENDER NOTICE

Date: 16.09.2023

Sealed Tenders/Quotations are invited from the Manufacturer/Distributors/ Authorized Dealer for Purchase of HL-7 compatible Medical Equipment's /Instruments/Furniture as per details given on the website (www.kvv.edu.in) (Approximate Total cost Rs.10 Crore) to Krishna Vishwa Vidyapeeth (Deemed to be University) Karad.

Sealed Tenders/Quotations should reach to the office of The Registrar Krishna Vishwa Vidyapeeth (Deemed to be University), Karad by 05.00 pm on or before 27.09.2023.

1. Krishna Vishwa Vidyapeeth (Deemed to be University) Karad reserves rights to reject any or all tenders without assigning any reason.

SD/REGISTRAR KRISHNA VISHWA
VIDYAPEETH (Deemed to be
University), Karad. (Formerly
known as KIMSDU)